

Message

From: Lisa Rector [lrector@nescaum.org]
Sent: 10/27/2020 12:16:43 PM
To: Toney, Mike [Toney.Mike@epa.gov]
CC: Johnson, Steffan [johnson.steffan@epa.gov]; gallen@nescaum.org
Subject: RE: diagrams of tunnel set-ups at EPA qualified labs

Thanks Mike, I have looked at some reports and haven't found the data. In some reports, I found a few tidbits, in others, nothing. Do you know of any reports that have full data and schematics?

From: Toney, Mike <Toney.Mike@epa.gov>
Sent: Tuesday, October 27, 2020 7:44 AM
To: Lisa Rector <lrector@nescaum.org>
Cc: Johnson, Steffan <johnson.steffan@epa.gov>; George Allen <gallen@nescaum.org>
Subject: RE: diagrams of tunnel set-ups at EPA qualified labs

Hi Lisa,

I do not have schematics but you should be able to look at test reports and see them.

From: Lisa Rector <lrector@nescaum.org>
Sent: Monday, October 26, 2020 9:07 PM
To: Toney, Mike <Toney.Mike@epa.gov>
Cc: Johnson, Steffan <johnson.steffan@epa.gov>; gallen@nescaum.org
Subject: diagrams of tunnel set-ups at EPA qualified labs

Hi Mike! I hope you are doing well. I was wondering if, as part of the EPA qualification process, you had schematics of the EPA qualified labs dilution tunnel systems. If so, could you please send them to George and I? If you don't have them, can you tell me where I might locate them? Thanks!

Lisa



Lisa Rector, Policy and Program Director at **NESCAUM**

89 South Street, Suite 602, Boston, Massachusetts, 02111 | 802.899.5306 | 617.259.2095 | Fax: 617.742.9162

| lrector@nescaum.org